








Segmented Belt Model

## CLEAN. EFFICIENT. DESIGNED TO DELIVER.

Featuring an aerodynamic design, the Rolled-Side Aluminum Super Hi-Lite Agriculture Trailer is one of Trail King's best products for moving agricultural commodities. Achieve reduced cross-contamination between loads with our smooth continuous belt model, paired with raised belt flanges and a spring-loaded belt scraper.

Choose the lightweight segmented belt model and you will still experience the fast and clean horizontal rear discharge enabled by the full height High Molecular Weight (HMW) plastic wall liner available on both models. The ASHR models also offer reliable and low maintenance performance with either the pintle chain or heavy-duty roller chain system and superior tailgate seal against the trailer body.



Continuous Belt Model

Find your nearest dealer: www.TrailKing.com/DealerLocator



0 0 0 0





(C) Hinged Access Door

(D) Hydraulic Tap Chain Oiler.



Setback Hinge to Lift Hydraulic Tailgate

4

Tailgate features an aluminum rolled body with full plastic liner on all models. This design enhances cleanout by eliminating product buildup in corners.



Safety Locks & Rear Lights Hydraulic cylinders provide security and efficiency. Includes rear work lights for after dark operation.



**Direct Hydrostatic Drive** Double reduction gearbox on all models comes in single or dual drive depending upon belt width and payload requirements.



**Manual Lever Controls** All models come with level controls for the tailgate function and variable rate of flow control.



**Detachable Access Ladder** & Rear D-Rings Safely access the body of the trailer and convenient storage on the sides.

Products shown may feature optional equipment. Available specifications are subject to change without notice.

- Spring-Loaded Belt Scraper Standard on Continuous Belt models only. Experience a cleaner belt and reduced cross contamination of different products.
- (A) Continuous 48" Rubber Belt with veneer edge and stainless steel fasteners.
- (B) Heavy Duty 3" Roller Chain Pitch



Aluminum Grain Chute

• 48" Continuous

• Knife Gate

• 48" or 64" Segmented

Spring-Loaded Belt Scraper for Segmented Belt models

Inset Top Hinged Hydraulic Tailgate 1 Ir

Unloading your load is efficient and
controlled with this enhanced feature.

TKASHR STANDARD EQUIPMENT	ASHR	ASHR-C
Kingpin Setting	36"	36"
Hopper Sheets	.210 Aluminum	.210 Aluminum
Hopper Crossmember	1 or 2	1 or 2
Floor Liner	.25" UHMW	NA
Wall Liner	.188" HMW	.188" HMW
Door	Top Hinged	Top Hinged
Door Controls	Manual Hydraulic	Manual Hydraulic
Drive	Single	Single
Chain	2.61" Pintle	3.00" Roller
Chain Crossmembers	Aluminum Extrusion	.098" Domex 100
Chain Oiler	NA	Х
Belt	2 Ply Belt Flaps	Continuous
Belt Fasteners & Clip	NA	Stainless
Belt Flashing	NA	Aluminum
Suspension	Air Ride	Air Ride
Suspension Configuration	Tandem	Tandem
Suspension Location	Wheels Back	Wheels Back
D-Rings on Rear of Chassis	Х	Х
Anti-Lock Braking System	2S1M	2S1M
Brake Rating	21k	21k
Hubs/Drums	Duralite/Cast	Duralite/Cast
Wheels	8.25 x 22.5 Steel	8.25 x 22.5 Steel
Tires	11R22.5	11R22.5
Aluminum Front Fenders	Х	Х
Aluminum Rear Fenders	Х	Х
Two-Speed Landing Gear	Х	Х
Ladders	Front & Rear	Front & Rear
Sealed Electrical System	Х	Х
LED Lights	Х	Х
DOT Required Lights w/ Midturn & 3rd Taillight	Х	Х
Trail King 2-part Polyurethane Primer & Paint	Х	Х
Red and White conspicuity markings	Х	Х

## See your local dealer for full list of available options.

STANDARD MODELS:	4272-48	4278-48	4284-48	4296-48	4202-48	4672-48	4678-48	4684-48	4696-48	4602-48
Capacity (cu. yds.)	57	63	69	81	87	63	69	75	87	93
Overall Length (ft.)	43	43	43	43	43	47	47	47	47	47
Body Length (ft.)	42	42	42	42	42	46	46	46	46	46
Overall Height	10'4"	10'10"	11'4"	12'4"	12'10"	10'4"	10'10"	11'4"	12'4"	12'10"
KP to Last Axle	37'4"	37'4"	37'4"	37'4"	37'4"	41'4"	41'4"	41'4"	41'4"	41'4"
Segmented (lbs.)	12,280	13,039	13,062	13,666	13,891	13,288	13,518	13,735	14,170	14,412
Continuous (lbs.)	13,608	13,827	13,850	14,454	14,679	14,151	14,381	14,598	15,033	15,275
STANDARD MODELS:	4872-78	4878-48	4884-48	4896-48	4802-48	5272-48	5278-48	5284-48	5296-48	5202-48
STANDARD MODELS: Capacity (cu. yds.)	<b>4872-78</b> 65	<b>4878-48</b> 72	<b>4884-48</b> 79	<b>4896-48</b> 93	<b>4802-48</b> 100	<b>5272-48</b> 71	<b>5278-48</b> 78	<b>5284-48</b> 85	<b>5296-48</b> 99	<b>5202-48</b> 106
Capacity (cu. yds.)	65	72	79	93	100	71	78	85	99	106
Capacity (cu. yds.) Overall Length (ft.)	65 <b>49</b>	72 <b>49</b>	79 <b>49</b>	93 <b>49</b>	100 <b>49</b>	71 <b>53</b>	78 <b>53</b>	85 <b>53</b>	99 <b>53</b>	106 <b>53</b>
Capacity (cu. yds.) <b>Overall Length</b> (ft.) Body Length (ft.)	65 <b>49</b> 48	72 <b>49</b> 48	79 <b>49</b> 48	93 <b>49</b> 48	100 <b>49</b> 48	71 <b>53</b> 52	78 <b>53</b> 52	85 <b>53</b> 52	99 <b>53</b> 52	106 <b>53</b> 52
Capacity (cu. yds.) <b>Overall Length</b> (ft.) Body Length (ft.) Overall Height	65 <b>49</b> 48 10'4"	72 <b>49</b> 48 10'10"	79 <b>49</b> 48 11'4"	93 <b>49</b> 48 12'4"	100 <b>49</b> 48 12'10"	71 <b>53</b> 52 10'4"	78 <b>53</b> 52 10'10"	85 <b>53</b> 52 11'4"	99 <b>53</b> 52 12'4"	106 <b>53</b> 52 12'10"

## PEOPLE. PRODUCT. PERFORMANCE. **COMPREHENSIVE SUPPORT. UNMATCHED SERVICE.**

Whether you own a premium Trail King trailer or you are looking to own one, you can still have access to our comprehensive PEAK PERFORMANCE™ Aftermarket Programs:



Instantly access over 10,000 on-hand parts and a variety of online tools. All Trail King Certified dealers, fleets, and serviced facilities can place same-day shipping orders for convenient and efficient ordering. Customers looking for more information can contact a local Trail King dealer or submit direct inquires to trailkingpartssupport@trailking.com.



Extend the life of your trailer and increase future resale value by restoring it to nearpeak performance through Trail King's factory refurbishment program. Customers can request a free estimate for comprehensive refurbishments or specified repairs by visiting www.tkpeakperformance.com. Our expert technicians specialize in Trail King equipment, but we also welcome other trailer brands.



**Competitive rates and flexible terms** designed to make a Trail King purchase affordable, convenient, and secure. Trail King's innovative payment program operate with an understanding of the changing demands a customer's business faces. Our full suite of financing structures, including Loans, Finance Leases, and TRAC Leases, makes it easier than ever before to own a Trail King trailer.

**Trail King** is the leading manufacturer of open deck and materials hauling trailers for the asphalt paving, construction, commercial hauling, agriculture, and specialized transport industries. With a network of almost 400 dealer locations across the U.S. and Canada. Trail King is there when you need us. Our dedicated teams of customer service professionals are available 24/7 to serve you.

We know that your bottom line is important to you and it's our commitment to make sure you achieve the lowest cost of ownership with the highest guality trailers offered in the market.

A Trail King trailer won't just get the job done — it will get the job done right.



## TrailKing.com/TKASHR

300 East Norway Ave. Mitchell, SD 57301 | 800-843-3324 100 © 2015 Trail King Industries. All rights reserved.

www.trailking.com