





**Sloped walls** (60°) reduce segregation

of loads during transport and eliminate bridging problems. 96" hopper width standard (102" option).

**Continuous Belt** of heat-and oil-resistant twoply rubber moves entire load to the rear for discharge.



The 36" belt is attached to steel slats and moved by double pitch roller chain on steel tracks.



**Heavy-Duty Roller Chain** with easy access chain oiler system.



**Direct Hydrostatic Drive** with

**Release Agent Spray System** 





double-reduction planetary gearbox eliminates the problems associated with chain drives.





or electric drive.

Flip-Up Mud Flaps, new convenient hinged design for better paver hopper clearance.



**Innovative over-the-fifth-wheel body** distributes weight over the entire length of the tractor and trailer, including the steer axle,

Two-Speed Crank-Up **Landing Legs** 

for maximum payloads within legal limits. Coupled with short wheelbase tractors, these combinations can be highly maneuverable.



**Electric Cab Control** (standard) with rear over-ride

**Clean and efficient horizontal discharge** in one revolution or less makes unloading easy and reduces cycle time.

**Locking Tailgate** 

with lift package (standard).

**Air-Ride Suspension** 

Three-leaf suspension is standard.

(optional) also available with air-lift axles.


Products shown may feature optional equipment. Available specifications are subject to change without notice.


## PROVEN PERFORMANCE AND RELIABILITY FOR OVER TWO DECADES


Trail King has been delivering dependable asphalt and asphalt-related material hauling solutions to the paving industry since 1987... longer than any other manufacturer in the industry today.


The redesigned direct hydrostatic drive and heavy-duty roller chain system on Trail King live bottoms... first introduced in 1993, field tested "on-the-job," and proven reliable every working day since then... is the same dependable system found on today's Advantage Series Over-The-Fifth Wheel Live Bottom (OLB).

Discover for yourself why Trail King's OLB is the preferred choice of asphalt paving contractors all across North America.









TKOLB SPECIFICATIONS						
Model	OLB236NG	OLB336NG	OLB332NG	OLB326NG	OLB426NG	OLB340NG
Capacity	28 cu. yds.	32 cu. yds.	29 cu. yds.	24 cu. yds.	24 cu. yds.	32 cu. yds.
Overall length (A)	40'7"	40'7"	36'7"	30'7"	30'7"	44'7"
Overall height (B)	8'6" (96" body)	9'2"	9'2"	9'2"	9'2"	8'6" (96" body)
Overall width	102"	102"	102"	102"	102"	102"
King pin height (C)	49"	49"	49"	49"	49"	49"
King pin to center						
of last axle (D)	35'11"	35'11"	31'11	25'11"	25'11"	39'11
Number of Axles	2	3	3	3	4	3
Empty weight ±3%	13,350 lbs.	15,390 lbs.	14,900 lbs.	13,850 lbs.	14,980 lbs.	15,900 lbs.

All dimensions are approximate and are subject to change without notice. Trailers pictured may include options.

See your local dealer for full list of available options.

## **OTHER POPULAR OPTIONS:**

- Tarp systems manual and electricMultiple axle configurations

Model OLB236NG

- Aluminum sheeting/insulation
- Air-Ride suspensions
- Air lift suspensionsGravel service belt in lieu of heat and oil resistant
- Flow control valve

- 102" wide body (extra capacity)
  Pressurized 12 gal. spray system
  Tire and wheel options
- Paint options

**Exceptional hauling versatility -** asphalt and asphalt-related materials - one trailer serves many needs.



The Advantage Series Over-The-Fifth-Wheel Live Bottom (OLB) incorporates lightweight, smooth aluminum sheeting and a re-engineered frame into a new lower, lighter, more aerodynamic and fuel-efficient design. And, by lowering the overall height of the trailer and extending the hopper two feet forward, we've improved the load distribution and lowered the payload center of gravity for more load-handling stability. Other features include 36" belt width patented floor system, and self-lubricating chain oiler system.

The Trail King Advantage Series OLB... destined to be the best live bottom you'll ever own.

Find your nearest dealer: www.TrailKing.com/DealerLocator

PEOPLE. PRODUCT. PERFORMANCE.

## COMPREHENSIVE SUPPORT. UNMATCHED SERVICE.

Whether you own a premium Trail King trailer or you are looking to own one, you can still have access to our comprehensive PEAK PERFORMANCE™ Aftermarket Programs:



Instantly access over 10,000 on-hand parts and a variety of online tools. All Trail King Certified dealers, fleets, and service facilities can place same-day shipping orders for convenient and efficient ordering. Customers looking for more information can contact a local Trail King dealer or submit direct inquires to trailkingpartssupport@trailking.com.



**Extend the life** of your trailer and increase future resale value by restoring it to nearpeak performance through Trail King's factory refurbishment program. Customers can request a free estimate for comprehensive refurbishments or specified repairs by visiting **www.tkpeakperformance.com.** Our expert technicians specialize in Trail King equipment, but we also welcome other trailer brands.



Competitive rates and flexible terms designed to make a Trail King purchase affordable, convenient, and secure. Trail King's innovative payment program operates with an understanding of the changing demands a customer's business faces. Our full suite of financing structures, including Loans, Finance Leases, and TRAC Leases, makes it easier than ever before to own a Trail King trailer.

**Trail King** is the leading manufacturer of open deck and materials hauling trailers for the asphalt paving, construction, commercial hauling, agriculture, and specialized transport industries. With a network of almost 400 dealer locations across the U.S. and Canada, Trail King is there when you need us. Our dedicated teams of customer service professionals are available 24/7 to serve you.

We know that your bottom line is important to you and it's our commitment to make sure you achieve the lowest cost of ownership with the highest quality trailers offered in the market.

A Trail King trailer won't just get the job done – it will get the job done *right*.





